


Camera Culture



Ramesh Raskar
Associate Prof, Media Lab, MIT

Course WebPage :
<http://raskar.info/course.html>



Agrawala et al, Digital Photomontage, Siggraph 2004











Agrawala et al, Digital Photomontage, Siggraph 2004



**actual
set of originals**




**perceived
photomontage**

Source images



Brush strokes




Computed labeling



Composite



Sony 'Smile' Shutter



The Sony Cyber-shot DSC-T200 can recognize faces and snaps when it senses a smile.

Motivation

- Why Study Cameras Now ?
 - So what .. everyone has in their pocket..
 - Applied Optics has studied every aspect of the lens
 - Sensor electronics has its own field

Digital cameras are boring: Film-like Photography

- Roughly the same features and controls as film cameras
 - zoom and focus
 - aperture and exposure
 - shutter release and advance
 - one shutter press = one snapshot

- but things are changing...



Digital camera technology

- Plentiful Computing and Memory
 - fast auto-focus systems
 - optical image stabilization
 - automatic face detection
- Photoshop/Imaging Software
 - replacing traditional darkroom techniques
 - warping images, stitching panoramas
 - will eventually replace the view and panoramic camera

Emerging Field

- Digital Images:
 - Democratization: Flickr, YouTube, 'I F*n Shot That' Beastie Boys
 - Image and Video Blogs
 - Future new reporting from You, I-reporter
- Many fields
 - Surveillance
 - Entertainment
 - Mobile phone camera based games
 - HCI
 - Factory Automation and Robotics
 - Tele-presence and Tele-conference
 - Authentication and verification
- But they all use an ordinary camera!
 - Build a super-camera, exceed human eye abilities
 - Change the camera to adapt for the application
 - Redefine camera with a new design
 - Understand pre-capture issues and post-capture techniques
 - Support superior meta-tagging


Courses in the last year

- * Computational Photography
<http://graphics.cs.cmu.edu/courses/15-463/2005_fall/www/463.html> (Efros, CMU)
- * Computational Photography
<http://www.cc.gatech.edu/classes/AY2005/cs4803cp_summer/> (Essa, Georgia Tech)
- * Computational Photography
<<http://graphics.stanford.edu/courses/cs448-04-spring/announcement.html>>
(Levoy & Wilburn, Stanford)
- * Computational Photography
<<http://people.csail.mit.edu/fredo/PhotoSeminar05/index.htm>>
(Durand, MIT)
- * Computational Photography
<<http://www.eecis.udel.edu/%7EYyu/Teaching/CISC849.html>> (Yu, Delaware)
- * Introduction to Visual Computing
<<http://www.cs.toronto.edu/%7Ekyros/courses/320/>> and Visual Modeling
<<http://www.cs.toronto.edu/%7Ekyros/courses/2530/>> (Kutulakos, UToronto)
- * Topics in Image-based Modeling and Rendering
<<http://www.cs.ucsd.edu/classes/wi03/cse291-j/>> (Kriegman, UCSD)
- * *Symposium on Computational Photography and Video
<<http://photo.csail.mit.edu/>> *(May 2005, MIT)
- *
- * *Siggraph 2005 Course on Computational Photography
<<http://www.merl.com/people/raskar/photo/>> *(July 2005)

Computational Photography

Mastering New Techniques
for Lenses, Lighting, and Sensors

Ramesh Raskar
Jack Tumblin



Motivation

- Why Computational Cameras Now ?
- What will be the dominant platform for imaging ?
- What are the opportunities ?
- What is different from image processing ?
- How will it impact social computing ?
 - Supporting computations that are carried out by/for groups of people, blogs, collab-filtering, participatory sensing, soc-nets

Cameras Everywhere

- 500 Million Camera phones -> 1 Billion
 - **Dwarfs most electronic platforms**
- Rapid increase in automated surveillance
- Next media:
 - Google Earth, YouTube, Flickr ..
 - Text, Speech, Music, Images, Video, 3D, ..
 - Technology and Art will exploit which media next ?
- Key element for art, research, products, social-computing ..
- Image processing vs Computational Photo
 - **Beyond Post-capture computation**
 - What will Photoshop2025 look like ?
 - Do we need to understand the camera ?
 - Aperture, Autofocus, Motion Blur, Bokeh, Sensor parameters, Infrared light

Goals

- Change the rules of the game
 - Emerging optics, illumination, novel sensors
 - Exploit priors and online collections
- Applications
 - Better scene understanding/analysis
 - Capture visual essence
 - Superior Metadata tagging for effective sharing
 - Fuse non-visual data
 - Sensors for disabled, new art forms, crowdsourcing, bridging cultures

Vein Viewer (Luminetx)

Locate subcutaneous veins



Vein Viewer (Luminetx)

Near-IR camera locates subcutaneous veins and project their location onto the surface of the skin.





Topics

- Imaging Devices, Modern Optics and Lenses
- Emerging Sensor Technologies
- Mobile Photography
- Visual Social Computing and Citizen Journalism
- Imaging Beyond Visible Spectrum
- Computational Imaging in Sciences
- Trust in Visual Media
- Solutions for Visually Challenged
- Cameras in Developing Countries
- Future Products and Business Models

Topics not covered

- Only a bit of topics below
- Art and Aesthetics
 - 4.343 Photography and Related Media
- Software Image Manipulation
 - Traditional computer vision,
 - Camera fundamentals, Image processing, Learning,
 - 6.815/6.865 Digital and Computational Photography
- Optics
 - 2.71/2.710 Optics
- Photoshop
 - Tricks, tools
- Camera Operation
 - Whatever is in the instruction manual

- **Format**
 - **Lectures and guest talks**
 - Google Streetview,
 - Canon consumer imaging,
 - Nokia Mobile Comp Photography+Augmented Reality,
 - RedShift (thermal imaging),
 - Microsoft (Gigapixel imaging, moment camera),
 - Intel (Distributed imaging+storage)
 - **In-class discussion, surveys**
- **Grading**
 - (Tentative)
 - Read/Analyze/Present one or two papers
 - Final Survey paper/Project and present
 - Class discussion
 - In class, submit online, dig new recent work/suggest ideas/provoke questions
 - Class notes
 - To receive credit, you must attend regularly, present material on chosen topics and participate in discussions
- **Credit**
 - Survey paper/Project: 60%
 - Paper presentation: 20%
 - Class participation: 20%

	Topic	Topic	Guest Speaker
1	Feb 06	Introductions	
2	Wed 13 Feb	Imaging Devices, Modern Optics and Lenses	
3	Wed 20 Feb	Mobile Photography	HP Research Labs (Tom Malzbender on CameraPhone Usage, GPS-based tools)
4	Wed 27 Feb	Visual Social Computing and Citizen Journalism	Google Maps Streetview (Luc Vincent, TBA)
5	Wed 05 Mar	Emerging Sensor Technologies	Nokia Research, Mobile Computational Photography (TBA)
6	Wed 12 Mar	Beyond Visible Spectrum	RedShift Technologies(Matthias Wagner, Thermal Imaging)
7	Wed 19 Mar		Intel Research (Rahul Sukthankar)
SPRING BREAK			
8	Wed 02 Apr	Trust in Imaging	Microsoft ?
9	Wed 09 Apr	Computational Imaging in Sciences	Canon USA (Consumer Imaging Group) (TBA)
10	Wed 16 Apr	Solutions for Visually Challenged	
11	Wed 23 Apr	NO class	
12	Wed 30 Apr	Cameras in Developing Countries Future Products and Business Models	
13	Wed 07 May	Student Presentations	
14	Wed 14 May	Student Presentations	

Homework

- What will a camera look like in 10 years, 20 years?
- What will be the dominant platform and why?

- Send by email [raskar(at)media.mit.]

Survey

- Are you a **photographer** ?
- Are you a **digiphoto-artist** ?
- Do you use camera for vision/image processing? Real-time processing?
- Brief Introductions

Instructor: Ramesh Raskar

Associate Professor at Media Lab, Camera Culture group
Senior Research Scientist at MERL 2000-2008

Active Research Areas:

Projector-based Computational Illumination and Displays

Computational photography


Non-photorealistic rendering

<http://raskar.info>

Cameras and Photography

Art, Magic, Miracle

Are BOTH a 'photograph'?




<http://research.famsi.org/kermaya.html>

Rollout Photographs © Justin Kerr:
Slide idea: Steve Seitz

New Ways of Seeing the World

“Multiple-Center-of-Projection Images” Rademacher, P, Bishop, G., SIGGRAPH '98



What rays are most expressive?

Andrew Davidhazy, RIT: <http://www.rit.edu/~andpph/>




Thick photography: interaction

What other ways
better reveal shape
to human viewers?
(Without direct shape
measurement?)

Time for space wiggle.
Gasparini, 1998.

Can you understand
this shape better?



What is Computational Camera ?


- Generate photos that cannot be created by a single camera at a single instant
- Create the ultimate camera that mimics the eye
- Create impossible photos that don't mimic the eye
- Learn from scientific imaging (tomography, coded aperture, coherence, phase-contrast)

Improving FILM-LIKE Camera Performance


What would make it 'perfect' ?

- Dynamic Range
- Vary Focus Point-by-Point
- Field of view vs. Resolution
- Exposure time and Frame rate


Traditional 'film-like' Photography




Computational Camera: Optics, Sensors and Computations




Novel Cameras



Novel Cameras



Programmable Lighting




Scene



Photo = Illusion


The image is just a record of pixel values.

We do not see pixel values directly: Adaptation.

What we see is an illusion generated from the above record through internal adaptation of the visual system.







Dynamic Range

Short Exposure



Long Exposure



Goal: High Dynamic Range

High depth-of-field

- adjacent views use different focus settings
- for each pixel, select sharpest view [Haerberli90]



close focus





distant focus



composite

Long-range synthetic aperture photography



Synthetic aperture videography




Focus Adjustment: Sum of Bundles



-
- Epsilon Photography
 - Vary focus, exposure polarization, illumination
 - Vary time, view
 - Better than any one photo
 - Achieve effects via multi-photo fusion
 - Create a Super-camera
 - Mimic human eye

Varying Focus: Extended depth-of-field




Agrawala et al, Digital Photomontage, Siggraph 2004

Source images



Computed labeling



Composite



Clear Day from Foggy Days

Two Different Foggy Conditions

(Shree Nayar, Srinivasa Narasimhan 00)



Time: 3 PM



Time: 5:30 PM

Deweathering



Clear Day Image



Varying Polarization

Yoav Y. Schechner, Nir Karpel 2005

Best polarization state



Worst polarization state




Best polarization state

Recovered image


[Left] The raw images taken through a polarizer. [Right] White-balanced results: The recovered image is much clearer, especially at distant objects, than the raw image

Varying Polarization


- Schechner, Narasimhan, Nayar
- Instant dehazing of images using polarization



-
- Epsilon Photography
 - Create a Super-camera
 - Mimic human retina
 - Low-level visual processing
 - Coded Photography
 - Mid-level visual processing




RESERVE TANK



Car Manuals

RADIATOR CAP





What are the problems with 'real' photo in conveying information ?


Why do we hire artists to draw what can be photographed ?



Shadows
Clutter
Many Colors



Highlight Shape Edges
Mark moving parts
Basic colors



A New Problem

Shadows

Clutter


Many Colors

Highlight Edges

Mark moving parts

Basic colors

Non-photorealistic Camera: Depth Edge Detection and Stylized Rendering using Multi-Flash Imaging





Ramesh Raskar, Karhan Tan, Rogerio Feris,
Jingyi Yu, Matthew Turk

Mitsubishi Electric Research Labs (MERL), Cambridge, MA


U of California at Santa Barbara

U of North Carolina at Chapel Hill













Depth Discontinuities




Internal and external
Shape boundaries, Occluding contour, Silhouettes






Canny



Our Method




Photo




Result



Our Method




**Canny Intensity
Edge Detection**





Computational
Illumination

A Night Time Scene: Objects are Difficult to Understand due to Lack of Context



Enhanced Context :

All features from night scene are preserved, but background in clear




'Well-lit' Bldgs

Reflections in
bldgs windows

Tree, Street
shapes

Night Image



Background is captured from day-time scene using the same fixed camera



Result: Enhanced Image

Day Image



Denoising Challenging Images

Available light:

+ nice lighting

- noise/blurriness
- color



Flash:

+ details

+ color



- flat/artificial



Elmar Eisemann and Frédo Durand , Flash Photography
Enhancement via Intrinsic Relighting

Georg Petschnigg, Maneesh Agrawala, Hugues Hoppe,
Richard Szeliski, Michael Cohen, Kentaro Toyama. Digital
Photography with Flash and No-Flash Image Pairs

Use no-flash image relight flash image



Flash and Ambient Images

[Agrawal, Raskar, Nayar, Li Siggraph05]

Ambient



Flash



Result



Reflection Layer



Image Fusion and Reconstruction

- Epsilon Photography
 - Vary focus, exposure polarization, illumination
 - Vary time, view
 - Better than any one photo
- Achieve effects via multi-image fusion
- Exploit lighting

Topics

- Smart Lighting
 - Light stages, Domes, Light waving, Towards 8D
- Computational Imaging outside Photography
 - Tomography, Coded Aperture Imaging
- Smart Optics
 - Handheld Light field camera, Programmable imaging/aperture
- Smart Sensors
 - HDR Cameras, Gradient Sensing, Line-scan Cameras, Demodulators
- Speculations

Debevec et al. 2002: 'Light Stage 3'



Image-Based Actual Re-lighting

Debevec et al., SIGG2001

Light the actress in Los Angeles



Film the background in Milan,
Measure incoming light,

Matched LA and Milan lighting.





Matte the background



Light field photography using a handheld plenoptic camera

*Ren Ng, Marc Levoy, Mathieu Brédif,
Gene Duval, Mark Horowitz and Pat Hanrahan*



Prototype camera




Contax medium format camera



Kodak 16-megapixel sensor




Adaptive Optics microlens array



125μ square-sided microlenses

$$4000 \times 4000 \text{ pixels} \div 292 \times 292 \text{ lenses} = 14 \times 14 \text{ pixels}$$




Example of digital refocusing



Extending the depth of field



conventional photograph,
main lens at $f/4$




conventional photograph,
main lens at $f/22$




light field, main lens at $f/4$,
after all-focus algorithm
[Agarwala 2004]

Imaging in Sciences: Computer Tomography


- http://info.med.yale.edu/intmed/cardio/imaging/techniques/ct_imaging/



Borehole tomography




(from Reynolds)




- receivers measure end-to-end travel time
- reconstruct to find velocities in intervening cells
- must use limited-angle reconstruction method (like ART)

Deconvolution microscopy



ordinary microscope image




deconvolved from focus stack


- competitive with confocal imaging, and much faster
- assumes emission or attenuation, but not scattering
- therefore cannot be applied to opaque objects
- begins with less information than a light field (3D vrs 4D)

Coded-Aperture Imaging

- Lens-free imaging!
- Pinhole-camera sharpness, without massive light loss.
- No ray bending (OK for X-ray, gamma ray, etc.)
- Two elements
 - Code Mask: binary (opaque/transparent)
 - Sensor grid
- Mask autocorrelation is delta function (impulse)
- Similar to MotionSensor?



Mask in a Camera





Canon EF 100 mm 1:1.28 Lens,
Canon SLR Rebel XT camera




Captured Blurred Image





Refocused Image on Person





Larval Trematode Worm



Full Resolution Digital
Refocusing:



Coded Aperture Camera

4D Light Field from 2D
Photo:


Heterodyne Light Field
Camera


Novel Sensors

- Gradient sensing
- HDR Camera, Log sensing
- Line-scan Camera
- Demodulating
- Motion Capture
- 3D



Line Scan Camera: PhotoFinish 2000 Hz






The CityBlock Project



Problem: Motion Deblurring



Input Image



Blurred Taxi



Image Deblurred by solving a linear system. No post-processing

Fluttered Shutter Camera

Raskar, Agrawal, Tumblin Siggraph2006



Ferroelectric shutter in front of the lens is turned opaque or transparent in a rapid binary sequence

Participatory Urban Sensing

Deborah Estrin talk yesterday

Static/semi-dynamic/dynamic data

A. City Maintenance

-Side Walks

B. Pollution

-Sensor network

C. Diet, Offenders

-Graffiti

-Bicycle on sidewalk



Future ..


Citizen Surveillance
Health Monitoring

(Erin Brockovich)ⁿ


http://research.cens.ucla.edu/areas/2007/Urban_Sensing/

Crowdsourcing


Object Recognition
Fakes
Template matching



Amazon Mechanical Turk:
Steve Fossett search



ReCAPTCHA=OCR




©2005 Keith Cooper



Community Photo Collections

U of Washington/Microsoft: Photosynth



GigaPixel Images


Microsoft HDView



http://www.xrez.com/owens_giga.html

<http://www.gigapxl.org/>

Beyond Visible Spectrum



RedShift



Cedip

Trust in Images




Fig. 1. This photograph of the *American Idol* host and judges is a digital composite of multiple photographs. The inconsistencies in the shape and position of the specular highlight on the eyes suggest that these people were originally photographed under different lighting conditions. Photo courtesy of Fox News and the Associated Press.

Trust in Images



LA Times March'03



From Hany Farid

Cameras in Developing Countries



Community news program run by village women

Future Products and Business Models

Solutions for the Visually Challenged

<http://www.seeingwithsound.com/>

Vision thru tongue



http://www.pbs.org/kcet/wiredscience/story/97-mixed_feelings.html

Fantasy Configurations

- ‘Cloth-cam’: ‘Wallpaper-cam’ elements 4D light emission and 4D capture in the surface of a cloth...
- Floating Cam: ad-hoc wireless networks form camera arrays in environment...
- Flat-cams

Next Class

- Homework
 - What will a camera look like in 10 years, 20 years?
 - What will be the dominant platform and why?
 - Send by email [raskar(at)media.mit.]
- Volunteer
 - Class notes
 - Select/read/present/paper
 - (Extra Credit)

- **Format**
 - **Lectures and guest talks**
 - Google Streetview,
 - Canon consumer imaging,
 - Nokia Mobile Comp Photography+Augmented Reality,
 - RedShift (thermal imaging),
 - Microsoft (Gigapixel imaging, moment camera),
 - Intel (Distributed imaging+storage)
 - **In-class discussion, surveys**
- **Grading**
 - (Tentative)
 - Read/Analyze/Present one or two papers
 - Final Survey paper/Project and present
 - Class discussion
 - In class, submit online, dig new recent work/suggest ideas/provoke questions
 - Class notes
 - To receive credit, you must attend regularly, present material on chosen topics and participate in discussions
- **Credit**
 - Survey paper/Project: 60%
 - Paper presentation: 20%
 - Class participation: 20%

	Topic	Topic	Guest Speaker
1	Feb 06	Introductions	
2	Wed 13 Feb	Imaging Devices, Modern Optics and Lenses	
3	Wed 20 Feb	Mobile Photography	HP Research Labs (Tom Malzbender on CameraPhone Usage, GPS-based tools)
4	Wed 27 Feb	Visual Social Computing and Citizen Journalism	Google Maps Streetview (Luc Vincent, TBA)
5	Wed 05 Mar	Emerging Sensor Technologies	Nokia Research, Mobile Computational Photography (TBA)
6	Wed 12 Mar	Beyond Visible Spectrum	RedShift Technologies(Matthias Wagner, Thermal Imaging)
7	Wed 19 Mar		Intel Research (Rahul Sukthankar)
SPRING BREAK			
8	Wed 02 Apr	Trust in Imaging	Microsoft ?
9	Wed 09 Apr	Computational Imaging in Sciences	Canon USA (Consumer Imaging Group) (TBA)
10	Wed 16 Apr	Solutions for Visually Challenged	
11	Wed 23 Apr	NO class	
12	Wed 30 Apr	Cameras in Developing Countries Future Products and Business Models	
13	Wed 07 May	Student Presentations	
14	Wed 14 May	Student Presentations	